

THE UNITED STAYIES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Seminis Hegetable Seeds, Inc.

LILETS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TILLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HERS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC PLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE CHT TO EXCLUDE OTHERS FROM SELLING THE YARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR PORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE E PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT ED BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

TOMATO

'CHI1504005'

In Testimony Myerror, I have hereunto set my hand and caused the seal of the Hant Hariety Untertion Office to be affixed at the City of Washington, D.C. this seventh day of April, in the year two thousand and eight.

Plant Variety Protection Office Agricultural Marketing Service

25. The owners declare that a viable sample of basic seed of the variety has been furnished with application and will be replenished upon request in accordance with such regulations as may be applicable, or for a tuber propagated variety a tissue culture will be deposited in a public repository and maintained for the duration of the certificate.

The undersigned owner(s) is(are) the owner of this sexually reproduced or tuber propagated plant variety, and believe(s) that the variety is new, distinct, uniform, and stable as required in Section 42, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act.

Owner(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.

IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE, DISPOSITION, TRANSFER, OR USE FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Please use space indicated on reverse.)

SIGNATURE OF OWNER WILLS		SIGNATURE OF OWNER	
NAME (Please print or type)		NAME (Please print or type)	
Carol L. Miller			
CAPACITY OR TITLE	DATE	CAPACITY OR TITLE	DATE
PVP Specialist	30-0Ct-06		

(See reverse for instructions and information collection burden statement)

IF YES, PLEASE GIVE COUNTRY, DATE OF FILING OR ISSUANCE AND ASSIGNED

REFERENCE NUMBER. (Please use space indicated on reverse.)

GENERAL INSTRUCTIONS: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E, F; (3) for a tuber reproduced variety, verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; and (4) payment by credit card or check drawn on a U.S. bank for \$4,382 (\$518 filing fee and \$3,864 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice). NEW: With the application for a seed reproduced variety or by direct deposit soon after filling, the applicant must provide at least 3,000 viable untreated seeds of the variety per se, and for a hybrid variety at least 3,000 untreated seeds of each line necessary to reproduce the variety. Partial applications will be held in the PVPO for not more than 90 days; then returned to the applicant as un-filed. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a payment by credit card or check payable to "Treasurer of the United States" in the amount of \$768 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. The fees for filing a change of address; owner's representative; ownership or assignment; or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.) 200700021

Plant Variety Protection Office

Telephone: (301) 504-5518 FAX: (301) 504-5291

General E-mail: PVPOmail@usda.gov

Homepage: http://www.ams.usda.gov/science/pvpo/PVPindex.htm

SPECIFIC INSTRUCTIONS:

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and provide evidence that the permanent name of the application variety (even if it is a parental, inbred line) has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: U.S. Department of Agriculture, Agricultural Marketing Service, Livestock and Seed Programs, Seed Regulatory and Testing Branch, 801 Summit Crossing Place, Suite C, Gastonia, North Carolina 28054-2193 Telephone: (704) 810-8870. http://www.ams.usda.gov/lsg/seed.htm.

ITEM

19a. Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 19b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach replicated statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.

19c, Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Filt in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.

- 19d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance. etc.
- 19e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 20. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)

23, CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

Sale of hybrid 'Timotion': Netherlands-Sep 2004; Canada-Nov 2004; Poland-Mar 2005; USA-Nov 2005, Great Britan-Nov 2005

24. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

EU PBR Filed 18-Nov-05 # 2005/2358

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohbits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice

To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Exhibit A

Origin and Breeding History of Tomato, CHI1504005

The tomato parent line CHI1504005 was developed from the basic material of BS 01296687. The variety BS 01296687 (aka: SVR 01296687) was a trial hybrid of Bruinsma (which later became part of Seminis Vegetable Seeds, Inc.). The origin of this line can be traced back to a combination of varieties tried and later sold in the market as DRS 3423 (of De Ruiter Seeds), E192 (of Enza Zaden), and inbred breeding lines from the program of Bruinsma/Seminis (which were not available for commercial purposes). This information reflects all that we know pertaining to the pedigree of this line; no additional records or information are available.

CHI1504005 was developed using the pedigree selection method. During the development process, single plant selections were made to fix disease claims and ensure adaptation to a heated greenhouse climate and growing conditions.

Autumn 1999	Hybrid SVR 01296687 planted and self-pollinated fruits are harvested.		
Spring 2000	Planted F2, 4 plants selected for regular clusters.		
Autumn 2000	Planted F3, 5 plants selected for cracking resistance, Cladosporium		
•	fixed (susceptible), Fusarium race 1 and Nematodes fixed (resistant).		
Spring 2001	Planted F4, Fusarium race 2 fixed (susceptible).		
Autumn 2001	Planted F5, 2 plants selected for cracking resistance.		
Spring 2002	Planted F6, 2 plants selected for regular clusters.		
Autumn 2002	Planted F7, 1 plant selected for cracking resistance. Bulk seed		
	harvested.		
Spring 2003	Planted F8, 20 plants harvested, 1 selected for uniform angle between		
	leaf axle and stem		

Selection criteria for the development of CHI1504005 was aimed to achieve a line with good commercial properties, and in autumn crops, special attention was paid to cracking resistance and regular clusters. Disease resistance claims were verified by the Seminis phytopathology department in Wageningen, The Netherlands and confirmed in official NAK tests in The Netherlands.

Observations made during the 2005 and 2006 growing seasons, when this line was used as a parent in hybrid seed production, confirmed that 'CHI1504005' was uniform and stable within commercially acceptable limits. As is true with other tomato inbred lines, a very small percentage of variants can occur within commercially acceptable limits for many characteristics during the course of repeated multiplication. No genetic variants are known to occur and, to date, this inbred line has been observed to be completely uniform and stable for 2 generations (at several locations in several years), under heated greenhouse conditions.

Exhibit B

Statement of Distinctness for Tomato, CHI1504005

'CHI1504005' is a unique red color cocktail tomato which forms very regular clusters, without splitting, and has a compact growth habit (short internodes). It was specially selected to prevent cracking of the fruits under autumn growing conditions (high day temperatures and excessive light at the start of the crop with lower light levels at the end of the year). Cracking of the fruits limits the usage of cocktail varieties in cluster harvest and often clusters are not very regular under these conditions.

To our knowledge, the variety most closely resembling the candidate variety in the heated greenhouse segment is 'Aranca' (Enza Zaden).

The characteristic that most readily distinguishes 'CHI1504005' from 'Aranca' include, but may not be limited to fruit pattern. In the mature-green stage, the fruit pattern of 'CHI1504005' is uniform green (RHS 143B) whereas the fruit of 'Aranca' are non-uniform in color and thus have green shoulders (RHS N144A). See photos 1 and 2 below.

Photo 1: Fruit Pattern: CHI1 504005 is uniform green (Seminis photograph)





Photo 2: Fruit Pattern: Aranca has green shoulders http://www.llsgrowers.nl/en/producten/sweetvine



REPRODUCE LOCALLY. Include form number and date on all reproductions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The vald OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 2.2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600(voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

EXHIBIT C

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE **SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE** BELTSVILLE, MD 20705

OBJECTIVE DESCRIPTION OF VARIETY

TOMATO (Lycopersicon esculentum Mill.)				
NAME OF APPLICANT (S)	ТЕМРОГ	RARYOR EXPERIMENTAL DESIGNATI	ION	VARIETY NAME
Seminis Vegetable Seeds, Ir	nc.			CHI1504005
ADDRESS (Street and No. or RD No., City, State	e, Zip Code, and Country)			TOR OFFICIAL USE ONLY
2700 Camino del Sol				PVPO NUMBER
Oxnard, CA 93030			200700021	
Choose responses for the following ch	aracters which best fit you	r variety. Complete this form as for	fully as possible	for best characterization of the variety. When a single
quantitative value is requested (e.g., fr	uit weight), your answer s	hould be the mean of an adequate-	-sized, unbiased	sample of plants. Use leading zeros when necessary (e.g., <u>0 9</u> or <u>0</u>
				me type (see list of recommended check varieties below), and
grown in the same trials. The characte	ers on this form should be	described from plants grown under	r normal condit	ions of culture for the variety. Indicated by check whether trial
data are from green house -or field	planting. Trials direc	t-seeded (or transplanted) stake	eder-unstal	ccd Give locations and dates of seeding and transplanting
here: Location: Honsele	rsdick The N	etherlands-Sem	nials Br	eeding Station, Dates: sowing
•	3 /			sing seedlings = 20-Dec-05 to
10-Jan-Olo; transplanti				
	2 3 21			
COMPARISONS SHOULD BE MA THE CHECK IN BOXES WHERE I			FOLLOWING	LIST. IF AT ALL POSSIBLE, ENTER THE NUMBER OF
	= Homestead 24 = Margiobe	13 = Red Rock 14 = Roma VF	19 = VF 1 20 = US 2	
3 = Chico III 9	= Murietta	15 = Rutgers	21 = VF 1	45 B 7879 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
5 = Florida MH-1 11	= New Yorker = Ohio MR-13	16 = Sunray 17 = Tropic	22 = Othe	r (Specify) RRANCA (ENZA)
6 = Heinz 1350 12	= Red Cherry Large			
1. SEEDLING				
2 Anthocyanin in hypocotyl of	2 - 15 cm seedling: 1 =	Absent 2 = Present	<u>2</u> Habi	t of 3 – 4 week old seedling; 1 = Normal 2 = Compact
2. MATURE PLANT (at maximum	vegetative development)		
CM Height =	ndefinite.			
Growth: 1 = Indeterminate				
3 Form: 1 = Lax, open 2 = No		= Dwarf 5 = Brachytic		
	•	1 = Small 2 = Medium 3 = La	arge	
Habit: 1 = Sprawling (decum			g¥	
Habit 1 - Optaming (decain	DOING E - COMPONECT	o - Liout (Ditail Champion)		

3	. ST	EM
	2	Branching: 1 = Sparse ('Brehm's Solid Red', 'Fireball') 2 = Intermediate ('Westover') 3 = Profuse ('UC 82')
	1	Branching at cotyledonary or first leafy node: 1 = Present 2 = Absent
	3	No. of nodes between first inflorescence: $1 = 1-4$ $2 = 4-7$ $3 = 7-10$ $4 = 10$ or more
٠.	<u> </u>	No. of nodes between early (1 st – 2 nd , 2 nd – 3 rd) inflorescences.
	2	Pubescence on younger stems: 1 = Smooth (no long hairs) 2 = Sparsely hairy (scattered long hairs) 3 = Moderately hairy 4 = Densely hairy or wooly
4	. LE	AF (mature leaf beneath the 3 rd inflorescence)
		Type: 1 = Tomato 2 = Potato ('Trip-L-Crop') 2 Morphology (choose illustration at the end of this form that is most similar)
	2	Margins of major leaflets: 1 = Nearly entire 2 = Shallowly toothed or scalloped 3 = Deeply toothed or cut, sps. Toward base
	2	Marginal rolling or wiltiness: 1 = Absent 2 = Slight 3 = Moderate 4 = Strong
	3	Onset of leaflet rolling: 1 = Early-season 2 = Mid-season 3 = Late season
٠.	2	Surface of major leaflets: 1 = Smooth 2 = Rugose (bumpy or veiny)
	_	Pubescence: 1 = Smooth (no long hairs) 2 = Normal 3 = Hirsute 4 = Wooly
5	INF	LORESCENCE (make observations on 3 rd inflorescence)
	1	Type: 1 = Simple 2 = Forked (2 major axes) 3 = Compound (much branched)
	ī	2 Number of flowers in inflorescence. Average
	$\frac{\cdot}{1}$	Leafy or "running" inflorescences: 1 = Absent 2 = Occasional 3 = Frequent
	<u> </u>	Leary of Turning Hindrescences. 1 - Absent 2 - Occasional 3 - Frequent
6.	FLC	DWER
	_L	Calyx: 1 = Normal, lobes awl-shaped 2 = Macrocalyx, lobes large, leaflike 3 = Fleshy
	2	Calyx-lobes: 1 = Shorter the corolla 2 = Approx. equalling corolla 3 = Distinctly longer than corolla
	1	Corolla color: 1 = Yellow 2 = Old gold 3 = White or tan
	2	Style pubescence: 1 = Absent 2 = Sparse 3 = Dense
		Anthers: 1 = All fused into tube 2 = Separateing into 2 or more groups at anthesis
		Fasciation (1 st flower of 2 nd or 3 rd inflorescence): 1 = Absent 2 = Occasionally present 3 = Frequently present
_	·	
		JIT (3 rd fruit of 3nd or 3 rd cluster) For the first 5 characters below, match your variety with the most similar illustration on pages at the end of this form.
٠	2	Typical fruit shape
٠.	6	Shape of blossom end Shape of pistil scar
	<u></u>	Abscission layer: 1 = Present (pedicellate) 2 = Absent (jointless)
	1	Point of detachment of fruit at harvest: 1 = At pedicel joint 2 = At calyx attachment
	<u>.</u>	MM length of dedicel (from joint to calyx attachment)
	0 :	$\frac{3}{2}$ MM length of mature fruit (stem axis) $\frac{0.38}{2}$ MM length, check var. no. $\frac{2.2}{2}$
	<u>0</u>	$\frac{10}{100}$ MM diameter of fruit at widest point $\frac{041}{100}$ MM diameter, check var. no. $\frac{22}{100}$
	<u>D</u> .	35 G weight of mature fruit 042 G weight, check var. no. 22
	<u> </u>	No. of locules: 1 = Two 2 = Three and four 3 = Five or more
		Fruit surface: 1 = Smooth 2 = Slight ly rough 3 = Moderately rough or ribbed
. ,	<u>2</u>	Fruit base color (mature-green stage): 1 = Light green ('Lanai', 'VF 145-F5') 2 = Light gray-green 3 = Apple or medium green ('Heinz 1439 VF') 4 = Yellow green 5 = Dark green
	1	Fruit pattern (mature-green stage): 1 = Uniform green 2 = Green-shouldered 3 = Radial stripes on sides of fruit


7. F	RUIT (continued)				
_	Shoulder color if different from base: 1 = Dark green 2 = 0	Grey green 3 = Yellow green N/A			
5	Fruit color, full-ripe: 1 = White 2 = Yellow 3 = Orange 4 = Pink 5 = Red 6 = Brownish 7 = Greenish 8 = Other (specify)				
7	Flesh color, full-ripe: 1 = Yellow 2 = Pink 3 = Red/Crimson 4 = Orange 5 = Other (specify)				
1	Flesh color: 1 = Uniform 2 = With lighter and darker areas in walls				
	_ Locular gel color of table-ripe fruit: 1 = Green 2 = Yellow	3 = Red			
2	Ripening: 1 = Blossom-to-stem end 2 = Uniform				
2	Ripening: 1 = Inside out 2 = Uniformly 3 = Outside in				
_i	Stem scar size: 1 = Small ('Roma') 2 = Medium ('Rutgers') 3 = Large			
	_ Core: 1 = Coreless (absent or smaller than 6x6 MM) 2 = F	Present			
0	Epidermis color: 1 = Colorless 2 = Yellow				
1	_ Epidermis: 1 = Normal 2 = Easy-peel				
2	Epidermis texture: 1 = Tender 2 = Average 3 = Tough				
1	_ Thickness of pericarp	Thickness of pericarp. Check var. no. 22			
2	_ Anthocyanin in hypocotyl of 2 – 15 mc seedling: 1 = Absent	2 = Present			
	FORTANCE TO FRUIT DISORDED (lies ands: 0 - University	1 - Suggestible 2 - Registant)			
s. Ki	ESISTANCE TO FRUIT DISORDER (Use code: 0 = Unknown Blossom end rot 2 Catface	O Fruit pox D Zippering			
2	 1	O Gold fleck Other (specify) N/A			
		Other (specify)			
	Bursting <u>A</u> Cracking, radial	12 Glaywall			
). Di	SEASE AND PEST REACTION (Use code: 0 = Unknown 1:	= Susceptible 2 = Resistant) NOTE If claim of novelty is based wholly or in substantial part ould specify the method of testing, the reaction of the application variety, and reaction of well-			
now	n check varieties grown in the trial (identified by name).	outo specify the method of testing, the realist of the approximation of the second of			
Viral	Diseases:				
\mathcal{L}	Cucumber mosaic Z Tobacco mosaic, Race 0				
0	Curly top <u>2</u> Tobacco mosaic, Race 1				
0	Potato-Y virus 2 Tobacco mosaic, Race 2				
_	Blotchy ripening Cracking, concentric	Gold fleck NOT TESTED			
	Other virus (specify) N/A				
Bacte	erial Diseases:				
0	Bacterial canker (Corynebacterium miciganense)	D Bacterial spot (Xanthomonas vesicatorium)			
<u>0</u>	Bacterial soft rot (Erwinia corotovora)	O Bacterial wilt (Pseudomonas solanacearum)			
<u>0</u>	Bacterial speck (Pseudomonas tomato)	Other bacterial disease (specify) N/A			
Fungal Diseases:					
0	Anthracnose (Colletotrichum spp.)	O Leaf mold, Race 1 (Cladosporium fulvum)			
0	Brown root rot or corky root (Pyrenochaeta lycopersici)	<u>D</u> Leaf mold, Race 2			
0	Collar rot or stem canker (Alternaria solani)	<u>O</u> Leaf mold, Race 3			
0	Early blight defoliation (Alternaria solani)				
2	Fusarium wilt, Race 1 (F. oxysporum f. lycopersici)	O Nailhead spot (Alternaria tomato)			
1	Fusarium wilt, Race 2	O Sepona leafspot (S. lycopersici)			
b	Fusarium wilt, Race 3				
<u></u>		·			

9. DISEASE AND PEST REACTION (continued)				
Fungal Diseases: O Gray leaf spot (Stemphylium spp.) O Late blight, Race 0 (Phytophthora infestans) Late blight, Race 1 Insects and Pests:	Verticil	llium wilt, Race 1 (<i>V. albo</i> llium wilt Race 2 fungal disease (specify) _		
Colorado potato beetle (Leptinotarsa decemline Colorado potato beetle (Leptinotarsa decemline Colorado potato beetle (Leptinotarsa decemline Colorado potato beetle (Meloidogyne incolorado potato	$\frac{O}{C}$ Tomat	o hornworm (<i>Manduca qu</i> o fruitworm (<i>Heliothis zea</i> y (<i>Trialeurodes vaporario</i> (specify) <u>N/A</u>)	
$\underline{\underline{\mathcal{O}}}$ Ozone $\underline{\underline{\mathcal{O}}}$ Sulfur dioxide	Other (s	specify) N/A		
10. CHEMISTRY AND COMPOSITION OF FULL-RIPE Bull. 27-L. Please specify test methods or give a ri known check variety of similar type grown in the sa	eference to methods used	d. Fill in table below with	values for the new variety a	I., National Canners Assn. and for at lease one well-
	Submitted Variety	Check Variety	Check Variety	Check Variety
На		·		
Titratable acidity, as % citric			in the second se	4.100-1
Total solids (dry matter, seeds and skin removed)				
Soluble solids as ^o Brix			ļ	
PHENOLOGY Express length of developmental states used, indicate the base temperature used in their c for at least one check variety; identify checks by na	alculatoin hear °C.	See paper by Warnock u	ing degree days), in degree inder "References" for meth	es Celsius. If heat units are nod. Give comparative data
	Application Variety	Check Variety ARANCA	Check Variety CAMPARI	Check Variety
Seeding to 50% flow (1 open on 50% of plants)	53 PAS	49 DAS	51 DAS	
Seed to once over harvest (if applicable)				
Fruiting season: 1 = Long ('Marglobe) 2 = Media Relative maturity in areas tested: 1 = Early 2 = (If relative mat	Medium early 3 = Mediu	ım 4 = Medium late 5 =		
2. ADAPTATION If more that one category applies, lis 2. Culture: 1 = Field 2 = Greenhouse 2. 1 Principle use(s): 1 = Home garden 5 = Other (specify)	2 = Fresh market 3 = W	/nole-pack canning 4 = (Concentrated products	
Machine harvest: 1 = Not adapted 2 = Adapted Regions to which adaptation has been demonstrated: WOVID WIDE IN (Neated) Green house. 1 = Northeast 2 = Mid Atlantic 3 = Southeast 4 = Florida 5 = Great Plains 9 = California: Sacramento and Upper San Joaquin Valley 10 = California: Coastal Areas 11 = California: Southern San Joaquin Valley & deserts				

ILLUSTRATIONS OF TOMATO LEAF AND FRUIT CHARACTERISTICS


4. LEAF

















7. FRUIT


Typical fruit shape:

























Shape of transverse section:



1 = Round



2 = Flattened




3 = Angular



4 = Irregular

Shape of stem end:






2 = Indented

Shape of blossom end:




1 = Indented



2 = Flat



3 = Nippled



Shape of pistil scar:





2 = Stellate



3 = Linear



4 = Irregular

REFERENCES

- Anonymous, 1976. All About Tomatoes. Ortho Books, Chevron Chemical Co., San Francisco. In three volumes: Midwest/Northeast Edition, West Edition, and South Edition.
- Ware, G.W. & J.P. McCollum, 1968. Producing Vegetable Crops. The Interstate Printer & Publishers, Inc., Danville, Illinois. Chapter 30, pp. 451-473, "Tomatoes".
- Warnock, S.J. 1978. Using Tomato Heat Units. Leaflet No. 6, Campbell Institue for Agricultural Research, Camden, NJ. 10 p.
- Webb, R.E., T.H. Barksdale, & A.K. Stoner, 1973. "Tomatoes", pp. 344-361, in: Nelson, R.R. (Ed.), Breeding Plants for Disease Resistance. Pennsylvania State University Press, University Park.
- Young, P.A. & J.W. MacArthur, 1947. Horticultural characters of tomatoes. Bull. Texas Agric. Exper. Station No. 698..

REPRODUCE LOCALLY. Include form number and edition date on all	reproductions. F	<u> ORM APPROVED - OMB No. 0581-005</u>
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE EXHIBIT E	Application is required in order to detectificate is to be issued (7 U.S.C. 24	(21). The information is held
STATEMENT OF THE BASIS OF OWNERSHIP	confidential until the certificate is issue	ed (7 U.S.C. 2426).
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME
Seminis Vegetable Seeds, Inc.	OR EXPERIMENTAL NUMBER	
Serimis Vegetable Seeds, IIIC.		CHI1504005
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (Include area code)	6. FAX (Include area code)
2700 Camino del Sol Oxnard CA 93030-7967	(805) 647-1572	(805) 918-2545
	7. PVPO NUMBER 2 () () 7 (10021
	ļ	
8. Does the applicant own all rights to the variety? Mark an "X" in the	e appropriate block. If no, please expla	in. YES NO
9. Is the applicant (individual or company) a U.S. national or a U.S. ba	ased company? If no, give name of co	ountry. YES NO
10. Is the applicant the original owner? YES	NO If no, please answer one	of the following:
a. If the original rights to variety were owned by individual(s), is (a YES b. If the original rights to variety were owned by a company(ies), YES YES	NO If no, give name of count	ed company?
11. Additional explanation on ownership (Trace ownership from origin The variety named in this application was developed by the Semin otherwise stated, all rights to the varieties developed by Seminis V operation of law. No rights to such invention, discovery or developed.	nis Vegetable Seeds, Inc., employee (br Vegetable Seeds, Inc. are assigned to th	eeder) named below. Unless c Company by agreement or by
Employee (Breeder): Arjan van Donk	placin are retained by the employee(s)	•
Site Location: Honselersdijk, The Netherlands	*.	
PLEASE NOTE:	****	
Plant variety protection can only be afforded to the owners (not license	ees) who meet the following criteria:	
If the rights to the variety are owned by the original breeder, that penational of a country which affords similar protection to nationals of	rson must be a U.S. national, national o the U.S. for the same genus and specie	f a UPOV member country, or s.
If the rights to the variety are owned by the company which employs nationals of a UPOV member country, or owned by nationals of a co- genus and species.	ed the original breeder(s), the company puntry which affords similar protection to	must be U.S. based, owned by onationals of the U.S. for the same
3. If the applicant is an owner who is not the original owner, both the o	riginal owner and the applicant must me	eet one of the above criteria.
The original breeder/owner may be the individual or company who dire Act for definitions.	ected the final breeding. See Section 4	(a)(2) of the Plant Variety Protection
According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, a control number. The valid OMB control number for this information collection is 0581-0055, an including the time for reviewing the instructions, searching existing data sources, gathering are	The time required to complete this information collect.	ion is estimated to average 0.1 hour per response.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provide and employer.

REPRODUCE LOCALLY, Include form number and date on all reproductions.

REPRODUCE LOCALLY. Include form number and date on all reproductions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 5 minutes per response, including the time for reviewing instructions, arching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national ongin, gender, religion, age, disability, sexual orientation, mantal or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

U.S. DEPARTMENT OF AGRICULTURE **AGRICULTURAL MARKETING SERVICE** SCIENCE AND TECHNOLOGY **PLANT VARIETY PROTECTION OFFICE** BELTSVILLE, MD 20705

EXHIBIT F DECLARATION REGARDING DEPOSIT

NAME OF OWNER (S)	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country)	TEMPORARY OR EXPERIMENTAL DESIGNATION
Seminis Vegetable Seeds, Inc.		TENS START OF EXILENTAL DEDICATION
bonning i egottoto bootto, mo.	2700 Camino del Sol Oxnard, CA 93030-7967	
	Oxidate, CA 95030-7907	VARIETY NAME
		CHI1504005
NAME OF OWNER REPRESENTATIVE (S)	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country)	FOR OFFICIAL USE DNLY
Carol L. Miller	37437 State Hwy 16	
	Woodland CA 95695	PVPO NUMBER
		200700021

I do hereby declare that during the life of the certificate a viable sample of propagating material of the subject variety will be deposited, and replenished as needed periodically, in a public repository in the United States in accordance with the regulations established by the Plant Variety Protection Office.